

**Focus Open
Silber 2010**



Pushbutton head with ring illumination and laser printing RRJTLRL...

Description: incl. lens, with laser printing translucent, standard imprints see nameplates (please specify index number), special inscription on request

Category: Pushbuttons
 Series: RONTRON-R-JUWEL
 Panel cut-out: Ø 22.3 mm
 Protection class: II (protective insulation)
 Degree of protection: IP65 / IP66 / IP69K
 Travel: 3 mm
 Illumination: yes
 With labelling option: yes
 Front bezel: silver-coloured
 Mechanical life: 1 million switching cycles
 Shape: round

Optional accessory



AS-Interface module ASI_BTK30_01



AS-Interface module ASI_BTK30_02



AS-Interface slave ASI_BZ



Illuminated contact block, momentary AZL4I



Illuminated contact block, momentary AZL4O



Illuminated contact block, maintained, W2x4,6d BFL



Illuminated contact block, maintained, T5,5K BFL5



Illuminated contact block, maintained, T5,5K BFL5K



Illuminated contact block, maintained, T5,5K BFL5K_AU



Illuminated contact block, maintained, T5,5K BFL5_439



Illuminated contact block, maintained, T5,5K BFL5_439_AU



Illuminated contact block, maintained, T5,5K BFL5_AU



Illuminated contact block, maintained, W2x4,6d BFLI



Illuminated contact block, maintained, T5,5K BFLI5



Illuminated contact block, maintained, T5,5K BFLI5K



Illuminated contact block, maintained, T5,5K BFLI5_AU



Illuminated contact block, maintained, W2x4,6d BFLIK



Illuminated contact block, maintained, W2x4,6d BFLI_AU



Illuminated contact block, maintained, W2x4,6d BFLK



Illuminated contact block, maintained, W2x4,6d BFL_439



Illuminated contact block, maintained, W2x4,6d BFL_439_AU



Illuminated contact block, maintained, W2x4,6d BFL_AU



Illuminated contact block, momentary, W2x4,6d BZLI



Illuminated contact block, momentary, T5,5K BZLI5



Illuminated contact block, momentary, T5,5K BZLI5K



Illuminated contact block, momentary, T5,5K BZLI5K_AU



Illuminated contact block, momentary, T5,5K BZLI5_AU



Illuminated contact block, momentary, W2x4,6d BZLII



Illuminated contact block, momentary, T5,5K BZLII5



Illuminated contact block, momentary, T5,5K BZLII5K



Illuminated contact block, momentary, T5,5K BZLII5K_AU



Illuminated contact block, momentary, T5,5K BZLII5_AU



Illuminated contact block, momentary, W2x4,6d BZLIIK



Illuminated contact block, momentary, W2x4,6d BZLIIK_AU



Illuminated contact block, momentary, W2x4,6d BZLII_AU



Illuminated contact block, momentary, W2x4,6d BZLIIK



Illuminated contact block, momentary, W2x4,6d BZLIK_AU



Illuminated contact block, momentary, W2x4,6d BZLI_AU



Illuminated contact block, momentary, W2x4,6d BZLO



Illuminated contact block, momentary, T5,5K BZLO5



Illuminated contact block, momentary, T5,5K BZLO5K



Illuminated contact block, momentary, W2x4,6d BZLOI



Illuminated contact block, momentary, T5,5K BZLOI5



Illuminated contact block, momentary, T5,5K BZLOI5K



Illuminated contact block, momentary, T5,5K BZLOI5K_AU



Illuminated contact block, momentary, T5,5K BZLOI5_AU



Illuminated contact block, momentary, W2x4,6d BZLOIK



Illuminated contact block, momentary, W2x4,6d BZLOIK_AU



Illuminated contact block, momentary, W2x4,6d BZLOI_AU



Illuminated contact block, momentary, W2x4,6d BZLOK



Illuminated contact block, momentary, W2x4,6d BZLOO



Illuminated contact block, momentary, T5,5K BZLOO5



Illuminated contact block, momentary, T5,5K BZLOO5K



Illuminated contact block, momentary, T5,5K BZLOO5_AU



Illuminated contact block, momentary, W2x4,6d BZLOOK



Illuminated contact block, momentary, W2x4,6d BZLOOK_AU



Illuminated contact block, momentary, W2x4,6d BZLOO_AU



Illuminated contact block, momentary, W2x4,6d BZLO_AU



Illuminated contact block, momentary CTL2



Illuminated contact block, momentary CTLF



Illuminated contact block, momentary, for 250V~ CTF_250



Illuminated contact block, momentary CTLP_485



Illuminated contact block, momentary CZTLP



Illuminated contact block, momentary CZTLP2



Insulated plastic enclosure, 1 mounting hole DIRL1V-R22



Insulated plastic enclosure, 1 mounting hole DIRL1VGB-R22



Insulated plastic enclosure, 2 mounting holes DIRL2V-R22



Insulated plastic enclosure, 3 mounting holes DIRL3V-R22



Insulated plastic enclosure, 3 resp. 4 mounting holes D1RL4V-R22



Profibus basic module DP_BTK30_03



Profibus basic module DP_BTK30_04



EtherCAT basic module EC_BTK30_03



EtherCAT basic module EC_BTK30_04



EtherNet IP basic module EN_BTK30_03



EtherNet IP basic module EN_BTK30_04



Illuminated contact block, momentary FRTFLI



Illuminated contact block, momentary FRTFLII



Illuminated contact block, momentary FRTFLOI



Illuminated contact block, momentary FRTFLOO



Contact block with 4-pole M12 connector, momentary FRTIL_C009



Contact block with 5-pole M12 connector, momentary FRTIL_C119



Contact block with 4-pole M12 connector, momentary FRTI_C007



Contact block with 5-pole M12 connector, momentary FRTI_C117



Illuminated contact block with 5-pole M12 connector,
momentary FRTLII_C122



Illuminated contact block with 4-pole M12 connector,
momentary FRTL_I_C005



Illuminated contact block with 5-pole M12 connector,
momentary FRTL_I_C115



Illuminated contact block with 5-pole M12 connector,
momentary FRTL_OI_C121



Illuminated contact block with 5-pole M12 connector,
momentary FRTL_OO_C113



Illuminated contact block with 4-pole M12 connector,
momentary FRTL_O_C004



Illuminated contact block with 5-pole M12 connector,
momentary FRTL_O_C114



Contact block with 4-pole M12 connector, momentary
FRTOI_C008



Contact block with 5-pole M12 connector, momentary
FRTOI_C118



Contact block with 4-pole M12 connector, momentary
FRTOO_C001



Contact block with 5-pole M12 connector, momentary
FRTOO_C111



Contact block with 4-pole M12 connector, momentary
FRTO_C006



Contact block with 5-pole M12 connector, momentary
FRTO_C116



Contact block, momentary FRTP1



Contact block, momentary FRTPII



Contact block, momentary FRTPII_AU



Contact block, momentary FRTPI_AU



Contact block, momentary FRTPO



Contact block, momentary FRTPOI



Contact block, momentary FRTPOO



Contact block, momentary FRTPOO_AU



Contact block, momentary FRTPO_AU



IO-Link basic module IL_BTK30_05




IO-Link basic module IL_BTK30_06



Insulated plastic enclosure, 1 mounting hole IRL1M



Insulated plastic enclosure, 1 mounting hole IRL1M_GELB



Insulated plastic enclosure, 2 mounting holes IRL2M



Insulated plastic enclosure, 3 mounting holes IRL3M



Insulated plastic enclosure, 5 mounting holes IRL5M



Protective lid, sealable KDP22RR



Robust protective lid, sealable KDPR22RR



Robust protective lid, sealable KDPR22RR_SW



LED light ring for status indication or additional illumination
LR22K_24B



LED light ring for status indication or additional illumination
LR22K_24G



LED light ring for status indication or additional illumination
LR22K_24R



RGB LED light ring for status indication or illumination
LR22K_24RGB



Two-coloured alternate LED-illuminated ring for status indication
LR22K_24R_G



LED light ring for status indication or additional illumination
LR22K_24W



LED light ring for status indication or additional illumination
LR22K_24Y



Powerlink basic module PL_BTK30_03



Powerlink basic module PL_BTK30_04



Profinet I/O basic module PN_BTK30_03



Profinet I/O basic module PN_BTK30_04



External nameplate holder RRJABT



Insulated plastic enclosure with 1 mounting hole SIL22/1



High insulated plastic enclosure with 1 mounting hole SILH22/1

