

Pushbutton head RXJT

Category: Pushbuttons
Series: RX-JUWEL
Panel cut-out: Ø 22.3 mm

Protection class:

Degree of protection: IP65
Travel: 6 mm
Illumination: yes
With labelling option: yes
Front bezel charcoal

Mechanical life: 1 million switching cycles

Storage temperature: -40°C ... 80°C Operating temperature: -25°C ... 70°C

Shape: round

Neccessary accessory



Nameplate with standard imprint BSRX...



Nameplate with standard imprint BSRX1



Nameplate with standard imprint BSRX101



Nameplate with standard imprint BSRX102









Nameplate with standard imprint BSRX105



Nameplate with standard imprint BSRX106



Nameplate with standard imprint BSRX109



Nameplate with standard imprint BSRX110



Nameplate with standard imprint BSRX1101



Nameplate with standard imprint BSRX1102









Nameplate with standard imprint BSRX1105



Nameplate with standard imprint BSRX1107



Nameplate with standard imprint BSRX1108



Nameplate with standard imprint BSRX1109



Nameplate with standard imprint BSRX111



Nameplate with standard imprint BSRX1112









Nameplate with standard imprint BSRX1120



Nameplate with standard imprint BSRX1121



Nameplate with standard imprint BSRX1125



Nameplate with standard imprint BSRX1126



Nameplate with standard imprint BSRX1133



Nameplate with standard imprint BSRX1134









Nameplate with standard imprint BSRX1137



Nameplate with standard imprint BSRX1139



Nameplate with standard imprint BSRX114



Nameplate with standard imprint BSRX1140



Nameplate with standard imprint BSRX1141



Nameplate with standard imprint BSRX1146









Nameplate with standard imprint BSRX1155



Nameplate with standard imprint BSRX1156



Nameplate with standard imprint BSRX1157



Nameplate with standard imprint BSRX1159



Nameplate with standard imprint BSRX1160



Nameplate with standard imprint BSRX1161









Nameplate with standard imprint BSRX1168



Nameplate with standard imprint BSRX1169



Nameplate with standard imprint BSRX117



Nameplate with standard imprint BSRX1170



Nameplate with standard imprint BSRX1171



Nameplate with standard imprint BSRX1172









Nameplate with standard imprint BSRX121



Nameplate with standard imprint BSRX122



Nameplate with standard imprint BSRX123



Nameplate with standard imprint BSRX127



Nameplate with standard imprint BSRX128



Nameplate with standard imprint BSRX13









Nameplate with standard imprint BSRX133



Nameplate with standard imprint BSRX134



Nameplate with standard imprint BSRX135



Nameplate with standard imprint BSRX136



Nameplate with standard imprint BSRX14



Nameplate with standard imprint BSRX177









Nameplate with standard imprint BSRX191



Nameplate with standard imprint BSRX192



Nameplate with standard imprint BSRX193



Nameplate with standard imprint BSRX195



Nameplate with standard imprint BSRX2



Nameplate with standard imprint BSRX201









Nameplate with standard imprint BSRX203



Nameplate with standard imprint BSRX204



Nameplate with standard imprint BSRX205



Nameplate with standard imprint BSRX206



Nameplate with standard imprint BSRX212



Nameplate with standard imprint BSRX218









Nameplate with standard imprint BSRX226



Nameplate with standard imprint BSRX23



Nameplate with standard imprint BSRX230



Nameplate with standard imprint BSRX25



Nameplate with standard imprint BSRX26



Nameplate with standard imprint BSRX3









Nameplate with standard imprint BSRX372



Nameplate with standard imprint BSRX379



Nameplate with standard imprint BSRX4



Nameplate with standard imprint BSRX41



Nameplate with standard imprint BSRX42



Nameplate with standard imprint BSRX43









Nameplate with standard imprint BSRX5



Nameplate with standard imprint BSRX61



Nameplate with standard imprint BSRX63



Nameplate with standard imprint BSRX64




Nameplate with standard imprint BSRX65




Nameplate with standard imprint BSRX66









Nameplate with standard imprint BSRX70

Nameplate with standard imprint BSRX71

Nameplate with standard imprint BSRX72

Nameplate with standard imprint BSRX73







Nameplate with standard imprint BSRX85



Nameplate with standard imprint BSRX89



Nameplate with standard imprint BSRX90



Nameplate with standard imprint BSRX93



Blank nameplate BSRXU




Transparent lens T20DBL



Transparent lens T20DGB





Transparent lens T20DKL





Transparent lens T20DRT



Transparent lens T20DWS

Optional accessory



Contact block, maintained AF



Contact block, maintained AF2



Contact block, maintained AF2_AU



Illuminated contact block, maintained AFL



Illuminated contact block, maintained AFL2





Illuminated contact block, maintained AFL2_AU



Illuminated contact block, maintained AFL_AU



Contact block, maintained AF_AU



AS-Interface module ASI_BTK30_01



AS-Interface module ASI_BTK30_02



Contact block, momentary AT



Contact block, momentary AT2



Contact block, momentary AT2_AU





Contact block, momentary ATI



Contact block, momentary ATI_AU



Illuminated contact block, momentary ATL



Illuminated contact block, momentary ATL2



Illuminated contact block, momentary $ATL2_AU$



Illuminated contact block, momentary ATL_AU



Contact block, momentary ATO



Contact block, momentary ATO_AU





Contact block, momentary AT_AU



Two-step contact block, momentary AZ011_97



Two-step contact block, momentary AZ011_97_AU



Contact block, momentary AZ2



Contact block, momentary AZ2N



Contact block, momentary AZ4I



Contact block, momentary AZ4O



Illuminated contact block, momentary AZL41





Illuminated contact block, momentary AZL4O



Contact block, momentary AZOO



Contact block, momentary AZOO_AU



Contact block, momentary AZOW1



Contact block, momentary AZOW1_AU



Contact block, maintained BF



Contact block, maintained BFI



Contact block, maintained BFIK





Contact block, maintained BFI_AU



Contact block, maintained BFK



Illuminated contact block, maintained, W2x4,6d BFL



Illuminated contact block, maintained, T5,5K BFL5



Illuminated contact block, maintained, T5,5K BFL5K



Illuminated contact block, maintained, T5,5K BFL5K_AU



Illuminated contact block, maintained, T5,5K BFL5_439



Illuminated contact block, maintained, T5,5K BFL5_439_AU





Illuminated contact block, maintained, T5,5K BFL5_AU



Illuminated contact block, maintained, W2x4,6d BFLI



Illuminated contact block, maintained, T5,5K BFLI5



Illuminated contact block, maintained, T5,5K BFLI5K



Illuminated contact block, maintained, T5,5K BFLI5_AU



Illuminated contact block, maintained, W2x4,6d BFLIK



Illuminated contact block, maintained, W2x4,6d BFLI_AU



Illuminated contact block, maintained, W2x4,6d BFLK





Illuminated contact block, maintained, W2x4,6d BFL_439



Illuminated contact block, maintained, W2x4,6d BFL_439_AU



Illuminated contact block, maintained, W2x4,6d BFL_AU



Contact block, maintained BF_439



Contact block, maintained BF_439_AU



Contact block, maintained BF_AU



Contact block, momentary BZI



Contact block, momentary BZII





Contact block, momentary BZIIK



Contact block, momentary BZIIK_AU



Contact block, momentary BZII_AU



Contact block, momentary BZIK



Contact block, momentary $BZIK_AU$



Contact block, momentary BZI_AU



Illuminated contact block, momentary, W2x4,6d BZLI



Illuminated contact block, momentary, T5,5K BZLI5





Illuminated contact block, momentary, T5,5K BZLI5K



Illuminated contact block, momentary, T5,5K BZLI5K_AU



Illuminated contact block, momentary, T5,5K BZLI5_AU



Illuminated contact block, momentary, W2x4,6d BZLII



Illuminated contact block, momentary, T5,5K BZLII5



Illuminated contact block, momentary, T5,5K BZLII5K



Illuminated contact block, momentary, T5,5K BZLII5K_AU



Illuminated contact block, momentary, T5,5K BZLII5_AU





Illuminated contact block, momentary, W2x4,6d BZLIIK



Illuminated contact block, momentary, W2x4,6d BZLIIK_AU



Illuminated contact block, momentary, W2x4,6d BZLII_AU



Illuminated contact block, momentary, W2x4,6d BZLIK



Illuminated contact block, momentary, W2x4,6d BZLIK_AU



Illuminated contact block, momentary, W2x4,6d BZLI_AU



Illuminated contact block, momentary, W2x4,6d BZLO



Illuminated contact block, momentary, T5,5K BZLO5





Illuminated contact block, momentary, T5,5K BZLO5K



Illuminated contact block, momentary, W2x4,6d BZLOI



Illuminated contact block, momentary, T5,5K BZLOI5



Illuminated contact block, momentary, T5,5K BZLOI5K



Illuminated contact block, momentary, T5,5K BZLOI5K_AU



Illuminated contact block, momentary, T5,5K BZLOI5_AU



Illuminated contact block, momentary, W2x4,6d BZLOIK



Illuminated contact block, momentary, W2x4,6d BZLOIK_AU





Illuminated contact block, momentary, W2x4,6d BZLOI_AU



Illuminated contact block, momentary, W2x4,6d BZLOK



Illuminated contact block, momentary, W2x4,6d BZLOO



Illuminated contact block, momentary, T5,5K BZLOO5



Illuminated contact block, momentary, T5,5K BZLOO5K



Illuminated contact block, momentary, T5,5K BZLOO5_AU



Illuminated contact block, momentary, W2x4,6d BZLOOK



Illuminated contact block, momentary, W2x4,6d BZLOOK_AU





Illuminated contact block, momentary, W2x4,6d BZLOO_AU



Illuminated contact block, momentary, W2x4,6d BZLO_AU



Contact block, momentary BZO



Contact block, momentary BZOI



Contact block, momentary BZOIK



Contact block, momentary BZOIK_AU



Contact block, momentary BZOI_AU



Contact block, momentary BZOK





Contact block, momentary BZOO



Contact block, momentary BZOOK



Contact block, momentary BZOOK_AU



Contact block, momentary BZOO_AU



Contact block, momentary BZO_AU



Contact block, momentary CT2



Contact block, momentary CTF



Contact block, momentary, incl. RGB LED CTFS_24RGB





Contact block, momentary, with 2-coloured LED red/green CTFS_24R_G



Contact block, momentary, with 2-coloured LED white/blue CTFS_24W_B



Contact block, momentary, for 250V~ CTF_250



Illuminated contact block, momentary CTL2



Illuminated contact block, momentary CTLF



Illuminated contact block, momentary, for 250V~ CTLF_250



Illuminated contact block, momentary CTLP_485



Contact block, momentary CTP_485





Illuminated contact block, momentary CZTLP



Illuminated contact block, momentary CZTLP2



Contact block, momentary CZTP



Contact block, momentary CZTP2



Insulated plastic enclosure, 1 mounting hole DIRL1V-R22



Insulated plastic enclosure, 1 mounting hole DIRL1VGB-R22



Insulated plastic enclosure, 2 mounting holes DIRL2V-R22



Insulated plastic enclosure, 3 mounting holes DIRL3V-R22





Insulated plastic enclosure, 3 resp. 4 mounting holes DIRL4V-R22



Profibus basic module DP_BTK30_03



Profibus basic module DP_BTK30_04



EtherCAT basic module EC_BTK30_03



EtherCAT basic module EC_BTK30_04



EtherNet IP basic module EN_BTK30_03



EtherNet IP basic module EN_BTK30_04



Contact block, momentary FRTFI





Contact block, momentary FRTFII



Contact block, momentary FRTFII_AU



Contact block, momentary FRTFI_AU



Illuminated contact block, momentary FRTFLI



Illuminated contact block, momentary FRTFLII



Illuminated contact block, momentary FRTFLOI



Illuminated contact block, momentary FRTFLOO



Contact block, momentary FRTFO





Contact block, momentary FRTFOI



Contact block, momentary FRTFOI_AU



Contact block, momentary, 2NC FRTFOO



Contact block, momentary FRTFOOI



Contact block, momentary $FRTFOOI_AU$



Contact block, momentary, 2NC FRTFOO_AU



Contact block, momentary FRTFO_AU



Contact block, momentary FRTPI





Contact block, momentary FRTPII



Contact block, momentary FRTPII_AU



Contact block, momentary FRTPI_AU



Contact block, momentary FRTPO



Contact block, momentary FRTPOI



Contact block, momentary FRTPOO



Contact block, momentary FRTPOO_AU



Contact block, momentary FRTPO_AU



IO-Link basic module IL_BTK30_05





IO-Link basic module IL_BTK30_06



Insulated plastic enclosure, 1 mounting hole IRL1M



Insulated plastic enclosure, 1 mounting hole IRL1M_GELB



Insulated plastic enclosure, 2 mounting holes IRL2M



Insulated plastic enclosure, 3 mounting holes IRL3M



Insulated plastic enclosure, 5 mounting holes IRL5M



Powerlink basic module PL_BTK30_03



Powerlink basic module PL_BTK30_04





Profinet I/O basic module PN_BTK30_03



Profinet I/O basic module PN_BTK30_04



External nameplate holder RXJABT



Insulated plastic enclosure with 1 mounting hole SIL22/1



High insulated plastic enclosure with 1 mounting hole SILH22/1



Sealing cap TK28S