

### Pushbutton head RXJT

Category:	Pushbuttons
Series:	RX-JUWEL
Panel cut-out:	Ø 22.3 mm
Protection class:	
Degree of protection:	IP65
Travel:	6 mm
Illumination:	yes
With labelling option:	yes
Front bezel	charcoal
Storage temperature:	-40°C ... 80°C
Operating temperature:	-25°C ... 70°C
Mechanical life:	1 million switching cycles
Shape:	round


### Necessary accessory



Nameplate with standard imprint BSRX1



Nameplate with standard imprint BSRX101



Nameplate with standard imprint BSRX102



Nameplate with standard imprint BSRX103



Nameplate with standard imprint BSRX104



Nameplate with standard imprint BSRX105



Nameplate with standard imprint BSRX106




Nameplate with standard imprint BSRX109




Nameplate with standard imprint BSRX110



Nameplate with standard imprint BSRX1101



Nameplate with standard imprint BSRX1102




Nameplate with standard imprint BSRX1103



Nameplate with standard imprint BSRX1104



Nameplate with standard imprint BSRX1105



Nameplate with standard imprint BSRX1107



Nameplate with standard imprint BSRX1108



Nameplate with standard imprint BSRX1109



Nameplate with standard imprint BSRX111



Nameplate with standard imprint BSRX1112




Nameplate with standard imprint BSRX1117



Nameplate with standard imprint BSRX112



Nameplate with standard imprint BSRX1120




Nameplate with standard imprint BSRX1121




Nameplate with standard imprint BSRX1125




Nameplate with standard imprint BSRX1126




Nameplate with standard imprint BSRX1133



Nameplate with standard imprint BSRX1134




Nameplate with standard imprint BSRX1135




Nameplate with standard imprint BSRX1136





Nameplate with standard imprint BSRX1137




Nameplate with standard imprint BSRX1139




Nameplate with standard imprint BSRX114



Nameplate with standard imprint BSRX1140



Nameplate with standard imprint BSRX1141



Nameplate with standard imprint BSRX1146



Nameplate with standard imprint BSRX1149



Nameplate with standard imprint BSRX1150



Nameplate with standard imprint BSRX1155



Nameplate with standard imprint BSRX1156



Nameplate with standard imprint BSRX1157



Nameplate with standard imprint BSRX1159




Nameplate with standard imprint BSRX1160



Nameplate with standard imprint BSRX1165



Nameplate with standard imprint BSRX1166



Nameplate with standard imprint BSRX1168




Nameplate with standard imprint BSRX1169



Nameplate with standard imprint BSRX117



Nameplate with standard imprint BSRX1170



Nameplate with standard imprint BSRX1171



Nameplate with standard imprint BSRX1172



Nameplate with standard imprint BSRX1173



Nameplate with standard imprint BSRX118



Nameplate with standard imprint BSRX121



Nameplate with standard imprint BSRX122



Nameplate with standard imprint BSRX123



Nameplate with standard imprint BSRX127



Nameplate with standard imprint BSRX128



Nameplate with standard imprint BSRX13



Nameplate with standard imprint BSRX131



Nameplate with standard imprint BSRX132



Nameplate with standard imprint BSRX133



Nameplate with standard imprint BSRX134



Nameplate with standard imprint BSRX135



Nameplate with standard imprint BSRX136



Nameplate with standard imprint BSRX14



Nameplate with standard imprint BSRX177



Nameplate with standard imprint BSRX181



Nameplate with standard imprint BSRX19



Nameplate with standard imprint BSRX191



Nameplate with standard imprint BSRX192



Nameplate with standard imprint BSRX193



Nameplate with standard imprint BSRX195



Nameplate with standard imprint BSRX2



Nameplate with standard imprint BSRX201



Nameplate with standard imprint BSRX201A



Nameplate with standard imprint BSRX202



Nameplate with standard imprint BSRX203



Nameplate with standard imprint BSRX204



Nameplate with standard imprint BSRX205



Nameplate with standard imprint BSRX206



Nameplate with standard imprint BSRX218



Nameplate with standard imprint BSRX219



Nameplate with standard imprint BSRX225




Nameplate with standard imprint BSRX226



Nameplate with standard imprint BSRX23



Nameplate with standard imprint BSRX230



Nameplate with standard imprint BSRX25



Nameplate with standard imprint BSRX26



Nameplate with standard imprint BSRX307



Nameplate with standard imprint BSRX33



Nameplate with standard imprint BSRX372




Nameplate with standard imprint BSRX379



Nameplate with standard imprint BSRX41





Nameplate with standard imprint BSRX42



Nameplate with standard imprint BSRX43



Nameplate with standard imprint BSRX43A



Nameplate with standard imprint BSRX44



Nameplate with standard imprint BSRX5



Nameplate with standard imprint BSRX61



Nameplate with standard imprint BSRX63



Nameplate with standard imprint BSRX64

**2**

Nameplate with standard imprint BSRX65

**3**

Nameplate with standard imprint BSRX66

**4**

Nameplate with standard imprint BSRX67

**5**

Nameplate with standard imprint BSRX68

**6**

Nameplate with standard imprint BSRX69

**↑↑**

Nameplate with standard imprint BSRX7

**7**

Nameplate with standard imprint BSRX70

**8**

Nameplate with standard imprint BSRX71



Nameplate with standard imprint BSRX72



Nameplate with standard imprint BSRX73



Nameplate with standard imprint BSRX74



Nameplate with standard imprint BSRX85



Nameplate with standard imprint BSRX89




Nameplate with standard imprint BSRX90



Nameplate with standard imprint BSRX93



Blank nameplate BSRXU



Transparent lens T20DBL



Transparent lens T20DGB



Concave lens, non-transparent T20DGBL



Concave lens, non-transparent T20DGGB



Concave lens, non-transparent T20DGGN



Transparent lens T20DGN



Concave lens, non-transparent T20DGRT



Concave lens, non-transparent T20DGSW




Concave lens, non-transparent T20DGWS




Transparent lens T20DKL



Transparent lens T20DRT



Transparent lens T20DWS



### Optional accessory



Contact block, maintained AF



Contact block, maintained AF2



Contact block, maintained AF2\_AU



Illuminated contact block, maintained AFL



Illuminated contact block, maintained AFL2



Illuminated contact block, maintained AFL2\_AU



Illuminated contact block, maintained AFL\_AU



Contact block, maintained AF\_AU



AS-Interface module ASI\_BTK30\_01



AS-Interface module ASI\_BTK30\_02



Contact block, momentary AT



Contact block, momentary AT2



Contact block, momentary AT2\_AU



Contact block, momentary ATI



Contact block, momentary ATI\_AU



Illuminated contact block, momentary ATL



Illuminated contact block, momentary ATL2



Illuminated contact block, momentary ATL2\_AU



Illuminated contact block, momentary ATL\_AU



Contact block, momentary ATO



Contact block, momentary ATO\_AU



Contact block, momentary AT\_AU



Two-step contact block, momentary AZ011\_97



Two-step contact block, momentary AZ011\_97\_AU



Contact block, momentary AZ2



Contact block, momentary AZ2N



Contact block, momentary AZ4I





Contact block, momentary AZ4O



Illuminated contact block, momentary AZL4I



Illuminated contact block, momentary AZL4O



Contact block, momentary AZOO



Contact block, momentary AZOO\_AU



Contact block, momentary AZOW1



Contact block, momentary AZOW1\_AU



Contact block, maintained BF



Contact block, maintained BFI



Contact block, maintained BFIK



Contact block, maintained BFI\_AU



Contact block, maintained BFK



Illuminated contact block, maintained, W2x4,6d BFL



Illuminated contact block, maintained, T5,5K BFL5



Illuminated contact block, maintained, T5,5K BFL5K



Illuminated contact block, maintained, T5,5K BFL5K\_AU



Illuminated contact block, maintained, T5,5K BFL5\_439



Illuminated contact block, maintained, T5,5K BFL5\_439\_AU



Illuminated contact block, maintained, T5,5K BFL5\_AU



Illuminated contact block, maintained, W2x4,6d BFLI



Illuminated contact block, maintained, T5,5K BFLI5



Illuminated contact block, maintained, T5,5K BFLI5K



Illuminated contact block, maintained, T5,5K BFLI5\_AU



Illuminated contact block, maintained, W2x4,6d BFLIK



Illuminated contact block, maintained, W2x4,6d BFLI\_AU



Illuminated contact block, maintained, W2x4,6d BFLK



Illuminated contact block, maintained, W2x4,6d BFL\_439



Illuminated contact block, maintained, W2x4,6d BFL\_439\_AU



Illuminated contact block, maintained, W2x4,6d BFL\_AU



Contact block, maintained BF\_439



Contact block, maintained BF\_439\_AU



Contact block, maintained BF\_AU



Contact block, momentary BZI



Contact block, momentary BZII



Contact block, momentary BZIIK



Contact block, momentary BZIIK\_AU



Contact block, momentary BZII\_AU



Contact block, momentary BZIK



Contact block, momentary BZIK\_AU



Contact block, momentary BZI\_AU



Illuminated contact block, momentary, W2x4,6d BZLI



Illuminated contact block, momentary, T5,5K BZLI5



Illuminated contact block, momentary, T5,5K BZLI5K



Illuminated contact block, momentary, T5,5K BZLI5K\_AU



Illuminated contact block, momentary, T5,5K BZLI5\_AU



Illuminated contact block, momentary, W2x4,6d BZLII



Illuminated contact block, momentary, T5,5K BZLII5



Illuminated contact block, momentary, T5,5K BZLII5K



Illuminated contact block, momentary, T5,5K BZLII5K\_AU



Illuminated contact block, momentary, T5,5K BZLII5\_AU



Illuminated contact block, momentary, W2x4,6d BZLIIK



Illuminated contact block, momentary, W2x4,6d BZLIIK\_AU



Illuminated contact block, momentary, W2x4,6d BZLII\_AU



Illuminated contact block, momentary, W2x4,6d BZLIK



Illuminated contact block, momentary, W2x4,6d BZLIK\_AU



Illuminated contact block, momentary, W2x4,6d BZLI\_AU



Illuminated contact block, momentary, W2x4,6d BZLO



Illuminated contact block, momentary, T5,5K BZLO5



Illuminated contact block, momentary, T5,5K BZLO5K



Illuminated contact block, momentary, W2x4,6d BZLOI



Illuminated contact block, momentary, T5,5K BZLOI5



Illuminated contact block, momentary, T5,5K BZLOI5K



Illuminated contact block, momentary, T5,5K BZLOI5K\_AU



Illuminated contact block, momentary, T5,5K BZLOI5\_AU





Illuminated contact block, momentary, W2x4,6d BZLOIK



Illuminated contact block, momentary, W2x4,6d BZLOIK\_AU



Illuminated contact block, momentary, W2x4,6d BZLOI\_AU



Illuminated contact block, momentary, W2x4,6d BZLOK



Illuminated contact block, momentary, W2x4,6d BZLOO



Illuminated contact block, momentary, T5,5K BZLOO5



Illuminated contact block, momentary, T5,5K BZLOO5K



Illuminated contact block, momentary, T5,5K BZLOO5\_AU



Illuminated contact block, momentary, W2x4,6d BZLOOK



Illuminated contact block, momentary, W2x4,6d BZLOOK\_AU



Illuminated contact block, momentary, W2x4,6d BZLOO\_AU



Illuminated contact block, momentary, W2x4,6d BZLO\_AU



Contact block, momentary BZO



Contact block, momentary BZOI



Contact block, momentary BZOIK



Contact block, momentary BZOIK\_AU



Contact block, momentary BZOI\_AU



Contact block, momentary BZOK



Contact block, momentary BZOO



Contact block, momentary BZOOK



Contact block, momentary BZOOK\_AU




Contact block, momentary BZOO\_AU



Contact block, momentary BZO\_AU



Contact block, momentary CT2



Contact block, momentary CTF




Contact block, momentary, incl. RGB LED CTFS\_24RGB



Contact block, momentary, with 2-coloured LED red/green  
CTFS\_24R\_G



Contact block, momentary, with 2-coloured LED white/blue  
CTFS\_24W\_B



Contact block, momentary, for 250V~ CTF\_250



Illuminated contact block, momentary CTL2



Illuminated contact block, momentary CTLF



Illuminated contact block, momentary, for 250V~ CTLF\_250



Illuminated contact block, momentary CTLP\_485



Contact block, momentary CTP\_485



Illuminated contact block, momentary CZTLP



Illuminated contact block, momentary CZTLP2



Contact block, momentary CZTP



Contact block, momentary CZTP2



Insulated plastic enclosure, 1 mounting hole DIRL1V-R22



Insulated plastic enclosure, 1 mounting hole DIRL1VGB-R22



Insulated plastic enclosure, 2 mounting holes D1RL2V-R22



Insulated plastic enclosure, 3 mounting holes D1RL3V-R22



Insulated plastic enclosure, 3 resp. 4 mounting holes D1RL4V-R22



Profibus basic module DP\_BTK30\_03



Profibus basic module DP\_BTK30\_04



EtherCAT basic module EC\_BTK30\_03



EtherCAT basic module EC\_BTK30\_04



EtherNet IP basic module EN\_BTK30\_03



EtherNet IP basic module EN\_BTK30\_04



Contact block, momentary FRTFI



Contact block, momentary FRTFII



Contact block, momentary FRTFII\_AU



Contact block, momentary FRTFI\_AU



Illuminated contact block, momentary FRTFLI



Illuminated contact block, momentary FRTFLII



Illuminated contact block, momentary FRTFLOI



Illuminated contact block, momentary FRTFLOO



Contact block, momentary FRTFO



Contact block, momentary FRTFOI



Contact block, momentary FRTFOI\_AU



Contact block, momentary, 2NC FRTFOO



Contact block, momentary FRTFOOI



Contact block, momentary FRTFOOI\_AU



Contact block, momentary, 2NC FRTFOO\_AU





Contact block, momentary FRTFO\_AU



Contact block, momentary FRTPI



Contact block, momentary FRTPII



Contact block, momentary FRTPII\_AU



Contact block, momentary FRTPI\_AU



Contact block, momentary FRTPO



Contact block, momentary FRTPOI



Contact block, momentary FRTPOO



Contact block, momentary FRTPOO\_AU



Contact block, momentary FRTPO\_AU



IO-Link basic module IL\_BTK30\_05




IO-Link basic module IL\_BTK30\_06



Insulated plastic enclosure, 1 mounting hole IRL1M



Insulated plastic enclosure, 1 mounting hole IRL1M\_GELB



Insulated plastic enclosure, 2 mounting holes IRL2M



Insulated plastic enclosure, 3 mounting holes IRL3M



Insulated plastic enclosure, 5 mounting holes IRL5M



Powerlink basic module PL\_BTK30\_03



Powerlink basic module PL\_BTK30\_04



Profinet I/O basic module PN\_BTK30\_03



Profinet I/O basic module PN\_BTK30\_04



External nameplate holder RXJABT



Insulated plastic enclosure with 1 mounting hole SIL22/1



High insulated plastic enclosure with 1 mounting hole SILH22/1



Sealing cap TK28S

