



## Pushbutton with 4-pole M12 connector SSWTI\_C007

Category: Pushbuttons

Series: SHORTRON® connect

Panel cut-out: Ø 22.3 mm Mounting depth: 33.7 mm

Protection class: II (protective insulation)

Degree of protection: IP65 / IP67
Switching function: momentary action
Travel: 2.3 mm (pushbutton)

Illumination: no
With labelling option: yes
Contact equipment: 1 NO

Connection type: 4-pole M12 connector (integrated), A coded

Front bezel black

Mechanical life: 1 million switching cycles Electrical life: 1 million switching cycles

Storage temperature: -40°C ... 80°C

Positive opening: no

Operating temperature: -25°C ... 70°C

Shape: round Contact material: AgNi

## **Neccessary accessory**



Nameplate with standard imprint BSRR1



Nameplate with standard imprint BSRR101



Nameplate with standard imprint BSRR102









Nameplate with standard imprint BSRR105



Nameplate with standard imprint BSRR106



Nameplate with standard imprint BSRR109



Nameplate with standard imprint BSRR110



Nameplate with standard imprint BSRR1101



Nameplate with standard imprint BSRR1102









Nameplate with standard imprint BSRR1105



Nameplate with standard imprint BSRR1107



Nameplate with standard imprint BSRR1108



Nameplate with standard imprint BSRR1109



Nameplate with standard imprint BSRR111



Nameplate with standard imprint BSRR1112









Nameplate with standard imprint BSRR1120



Nameplate with standard imprint BSRR1121



Nameplate with standard imprint BSRR1125



Nameplate with standard imprint BSRR1126



Nameplate with standard imprint BSRR1133



Nameplate with standard imprint BSRR1134









Nameplate with standard imprint BSRR1137



Nameplate with standard imprint BSRR1139



Nameplate with standard imprint BSRR114



Nameplate with standard imprint BSRR1140



Nameplate with standard imprint BSRR1141



Nameplate with standard imprint BSRR1146









Nameplate with standard imprint BSRR1155



Nameplate with standard imprint BSRR1156



Nameplate with standard imprint BSRR1157



Nameplate with standard imprint BSRR1159



Nameplate with standard imprint BSRR1160



Nameplate with standard imprint BSRR1161









Nameplate with standard imprint BSRR1168



Nameplate with standard imprint BSRR1169



Nameplate with standard imprint BSRR117



Nameplate with standard imprint BSRR1170



Nameplate with standard imprint BSRR1171



Nameplate with standard imprint BSRR1172









Nameplate with standard imprint BSRR121



Nameplate with standard imprint BSRR122



Nameplate with standard imprint BSRR123



Nameplate with standard imprint BSRR127



Nameplate with standard imprint BSRR128



Nameplate with standard imprint BSRR13









Nameplate with standard imprint BSRR133



Nameplate with standard imprint BSRR134



Nameplate with standard imprint BSRR135



Nameplate with standard imprint BSRR136



Nameplate with standard imprint BSRR14



Nameplate with standard imprint BSRR177









Nameplate with standard imprint BSRR191



Nameplate with standard imprint BSRR192



Nameplate with standard imprint BSRR193



Nameplate with standard imprint BSRR195



Nameplate with standard imprint BSRR2



Nameplate with standard imprint BSRR201









Nameplate with standard imprint BSRR203



Nameplate with standard imprint BSRR204



Nameplate with standard imprint BSRR205



Nameplate with standard imprint BSRR206



Nameplate with standard imprint BSRR212



Nameplate with standard imprint BSRR218









Nameplate with standard imprint BSRR226



Nameplate with standard imprint BSRR23



Nameplate with standard imprint BSRR230



Nameplate with standard imprint BSRR25



Nameplate with standard imprint BSRR26



Nameplate with standard imprint BSRR307









Nameplate with standard imprint BSRR379



Nameplate with standard imprint BSRR41



Nameplate with standard imprint BSRR42



Nameplate with standard imprint BSRR43



Nameplate with standard imprint BSRR43A



Nameplate with standard imprint BSRR44









Nameplate with standard imprint BSRR63



Nameplate with standard imprint BSRR64



Nameplate with standard imprint BSRR65



Nameplate with standard imprint BSRR66



Nameplate with standard imprint BSRR67



Nameplate with standard imprint BSRR68









Nameplate with standard imprint BSRR70



Nameplate with standard imprint BSRR71



Nameplate with standard imprint BSRR72



Nameplate with standard imprint BSRR73



Nameplate with standard imprint BSRR74



Nameplate with standard imprint BSRR75









Nameplate with standard imprint BSRR90



Nameplate with standard imprint BSRR93



Blank nameplate BSRRU



High lens, transparent T22HRRBL



High lens, transparent T22HRRGB




High lens, transparent T22HRRGN



High lens, transparent T22HRRKL





High lens, transparent T22HRRWS

Flat lens, transparent T22RRBL

Flat lens, transparent T22RRGB

Flat lens, non-transparent T22RRGBL


Flat lens, non-transparent T22RRGGB


Flat lens, non-transparent T22RRGGN

Flat lens, non-transparent T22RRGM









Flat lens, transparent T22RRWS

## **Optional accessory**





Spacer ring SDR



Spacer ring SDRSW



Mounting bracket  $135^{\circ}$  / 1 mounting holestainless steel 1.4301 S\_CW145



Mounting bracket  $90^{\circ}$  / 1 mounting holestainless steel 1.4301 S\_CW190



Mounting bracket  $135^{\circ}$  / 2 mounting holesstainless steel  $1.4301~S\_CW245$ 



Mounting bracket  $90^{\circ}$  / 2 mounting holesstainless steel 1.4301 S\_CW290



Mounting bracket  $135^{\circ}$  / 3 mounting holesstainless steel  $1.4301~S\_CW345$ 





Mounting bracket  $90^{\circ}$  / 3 mounting holesstainless steel 1.4301 S\_CW390



Sealing cap TK28S