

1 2

PIN 1/PIN 2





## Illuminated pushbutton with 4-pole M12 connector STLI\_CO05

with integrated 4-pole M12 connector, A coded Description:

incl. white LED

**Pushbuttons** Category:

Series: SHORTRON® connect

Panel cut-out: Ø 22.3 mm Mounting depth: 33.7 mm

Protection class: II (protective insulation)

IP65 / IP67 Degree of protection: Switching function: momentary action Travel: 2.3 mm (pushbutton)

Illumination: yes With labelling option: yes 1 NO Contact equipment:

4-pole M12 connector (integrated), A coded Connection type:

Front bezel silver-coloured

Positive opening:

-25°C ... 70°C Operating temperature:

Mechanical life: 1 million switching cycles Electrical life: 1 million switching cycles

Storage temperature: -40°C ... 80°C

Shape:

round Contact material: AgNi

Lamp socket: none, with integrated 3 mm LED white

## **Neccessary accessory**



Nameplate with standard imprint BSRR1



Nameplate with standard imprint BSRR101









Nameplate with standard imprint BSRR104



Nameplate with standard imprint BSRR105



Nameplate with standard imprint BSRR106



Nameplate with standard imprint BSRR109



Nameplate with standard imprint BSRR110



Nameplate with standard imprint BSRR1101









Nameplate with standard imprint BSRR1104



Nameplate with standard imprint BSRR1105



Nameplate with standard imprint BSRR1107



Nameplate with standard imprint BSRR1108



Nameplate with standard imprint BSRR1109



Nameplate with standard imprint BSRR111









Nameplate with standard imprint BSRR112



Nameplate with standard imprint BSRR1120



Nameplate with standard imprint BSRR1121



Nameplate with standard imprint BSRR1125



Nameplate with standard imprint BSRR1126



Nameplate with standard imprint BSRR1133









Nameplate with standard imprint BSRR1136



Nameplate with standard imprint BSRR1137



Nameplate with standard imprint BSRR1139



Nameplate with standard imprint BSRR114



Nameplate with standard imprint BSRR1140



Nameplate with standard imprint BSRR1141









Nameplate with standard imprint BSRR1150



Nameplate with standard imprint BSRR1155



Nameplate with standard imprint BSRR1156



Nameplate with standard imprint BSRR1157



Nameplate with standard imprint BSRR1159



Nameplate with standard imprint BSRR1160









Nameplate with standard imprint BSRR1166



Nameplate with standard imprint BSRR1168



Nameplate with standard imprint BSRR1169



Nameplate with standard imprint BSRR117



Nameplate with standard imprint BSRR1170



Nameplate with standard imprint BSRR1171









Nameplate with standard imprint BSRR118



Nameplate with standard imprint BSRR121



Nameplate with standard imprint BSRR122



Nameplate with standard imprint BSRR123



Nameplate with standard imprint BSRR127



Nameplate with standard imprint BSRR128









Nameplate with standard imprint BSRR132



Nameplate with standard imprint BSRR133



Nameplate with standard imprint BSRR134



Nameplate with standard imprint BSRR135



Nameplate with standard imprint BSRR136



Nameplate with standard imprint BSRR14









Nameplate with standard imprint BSRR19



Nameplate with standard imprint BSRR191



Nameplate with standard imprint BSRR192



Nameplate with standard imprint BSRR193



Nameplate with standard imprint BSRR195



Nameplate with standard imprint BSRR2









Nameplate with standard imprint BSRR202



Nameplate with standard imprint BSRR203



Nameplate with standard imprint BSRR204



Nameplate with standard imprint BSRR205



Nameplate with standard imprint BSRR206



Nameplate with standard imprint BSRR212









Nameplate with standard imprint BSRR225



Nameplate with standard imprint BSRR226



Nameplate with standard imprint BSRR23



Nameplate with standard imprint BSRR230



Nameplate with standard imprint BSRR25



Nameplate with standard imprint BSRR26









Nameplate with standard imprint BSRR372



Nameplate with standard imprint BSRR379



Nameplate with standard imprint BSRR41



Nameplate with standard imprint BSRR42



Nameplate with standard imprint BSRR43



Nameplate with standard imprint BSRR43A









Nameplate with standard imprint BSRR61



Nameplate with standard imprint BSRR63



Nameplate with standard imprint BSRR64



Nameplate with standard imprint BSRR65




Nameplate with standard imprint BSRR66



Nameplate with standard imprint BSRR67









Nameplate with standard imprint BSRR70

Nameplate with standard imprint BSRR71

Nameplate with standard imprint BSRR72

Nameplate with standard imprint BSRR73

Nameplate with standard imprint BSRR74







Nameplate with standard imprint BSRR89



Nameplate with standard imprint BSRR90



Nameplate with standard imprint BSRR93



Blank nameplate BSRRU



High lens, transparent T22HRRBL



High lens, transparent T22HRRGB



High lens, transparent T22HRRGN





High lens, transparent T22HRRKL



High lens, transparent T22HRRRT



High lens, transparent T22HRRWS



Flat lens, transparent T22RRBL



Flat lens, transparent T22RRGB



Flat lens, transparent T22RRGN



Flat lens, transparent T22RRKL



Flat lens, transparent T22RRRT





Flat lens, transparent T22RRWS

## **Optional accessory**



Protective lid made of TPE AK22RRSW



Robust protective lid, sealable KDPR22RR



Robust protective lid, sealable KDPR22RR\_SW



Spacer ring SDR



Spacer ring SDRSW



Mounting bracket  $135^{\circ}$  / 1 mounting holestainless steel 1.4301 S\_CW145





Mounting bracket  $90^{\circ}$  / 1 mounting holestainless steel 1.4301 S\_CW190



Mounting bracket  $135^{\circ}$  / 2 mounting holesstainless steel 1.4301 S\_CW245



Mounting bracket  $90^{\circ}$  / 2 mounting holesstainless steel 1.4301 S\_CW290



Mounting bracket  $135^{\circ}$  / 3 mounting holesstainless steel 1.4301 S\_CW345



Mounting bracket  $90^{\circ}$  / 3 mounting holesstainless steel 1.4301 S\_CW390



Sealing cap TK28S