



Emergency-stop head OKJBUV

Category:	Setas de emergencia
Series:	OKTRON®JUWEL
Panel cut-out:	23 x 23 mm
Degree of protection:	IP65 / IP67
Illumination:	no
With labelling option:	no
Front bezel	yellow
Knob colour	red
Permissive contact:	no
Storage temperature:	-50°C ... 85°C
Shape:	round
Operating temperature:	-30°C ... 70°C
Mechanical life:	30,000 switching cycles
Foolproof:	si
Anti-lock collar:	si
Switching position indicator:	si
Release:	twist right or left

Optional accessory



ASI_SAW16A



ASI_SAW16E



AZ2N



AZ4O



AZOSOI



AZOSOI_AU



AZSOSO



AZSOSO_AU



BZO



BZOI



BZOIK



BZOIK_AU



BZOI_AU



BZOK



BZOO



BZOOK



BZOOK_AU



BZOO_AU



BZO_AU



DIRL1V-Q23



DIRL1VGB-Q23



DIRL2V-Q23



DIRL3V-Q23



DIRL4V-Q23



FRTOI_C008



FRTOI_C118



FRTOOI_C112



FRTOO_C001



FRTOO_C111



FRTO_C006



FRTO_C116



NAS_23



NAS_23_548

