



Legend

I= Switching position >= Spring return

Illuminated selector head, momentary OKSTAL_BL

Category:	Selector switches (momentary/maintained)
Series:	OKTRON®
Panel cut-out:	Ø 16.2 mm
Protection class:	II (aislamiento protector)
Degree of protection:	IP65
Switching function:	momentary action
Illumination:	si
With labelling option:	no
Front bezel	charcoal
Knob colour	blue
Positive opening:	no
Shape:	square

Optional accessory



ASI_BTK25_01



ASI_BTK25_02



ASI_BZL5



AZL4I



AZL40



BZLI



BZLI5



BZLI5K



BZLI5K_AU



BZLI5_AU



BZLII



BZLII5



BZLII5K



BZLII5K_AU



BZLII5_AU



BZLIIK



BZLIIK_AU



BZLII_AU



BZLIK



BZLIK_AU



BZLI_AU



BZLO



BZLO5



BZLO5K



BZLOI



BZLOI5



BZLOI5K



BZLOI5K_AU



BZLOI5_AU



BZLOIK



BZLOIK_AU



BZLOI_AU



BZLOK



BZLOO



BZLOO5



BZLOO5K



BZLOO5_AU



BZLOOK



BZLOOK_AU



BZLOO_AU



BZLO_AU



CO_BTK25_13



CO_BTK25_14



CO_BTK27_13



CO_BTK27_14



CO_BTK30_13



CO_BTK30_14



CTL2



CTLF



CTLF_250



CTLP_485



CZTLP



CZTLP2



DIRL1V-R16



DIRL1VGB-R16



DIRL2V-R16



DIRL3V-R16



DIRL4V-R16



DP_BTK25_03



DP_BTK25_04



DP_BTK27_03



DP_BTK27_04



DP_BTK30_03



DP_BTK30_04



EC_BTK25_03



EC_BTK25_04



EC_BTK27_03



EC_BTK27_04



EC_BTK30_03



EC_BTK30_04



EN_BTK25_03



EN_BTK25_04



EN_BTK27_03



EN_BTK27_04



EN_BTK30_03



EN_BTK30_04



FRTFLI



FRTFLII



FRTFLOI



FRTFLOO



FRTIL_C009



FRTIL_C119



FRTI_C007



FRTI_C117



FRTLI_C122



FRTL_C005



FRTL_C115



FRTL_OI_C121



FRTL_OO_C113



FRTL_O_C004



FRTL_O_C114



FRTOI_C008



FRTOI_C118



FRTOO_C001



FRTOO_C111



FRTO_C006



FRTO_C116



FRTPI



FRTPII



FRTPII_AU



FRTPI_AU



FRTPO



FRTPOI



FRTPOO



FRTPOO_AU



FRTPO_AU



IL_BTK25_05



IL_BTK25_06



IL_BTK27_06



IL_BTK30_06



PL_BTK30_03



PL_BTK30_04



PN_BTK25_03



PN_BTK25_04



PN_BTK27_03



PN_BTK27_04



PN_BTK30_03



PN_BTK30_04



QXABT



QXABT_M



SIL16/1



SILH16/1

